

Appendix 1. Characteristics of included studies

Study	Year	Total n	Valve type	Access site	Time of endpoint definition	Duration of DAPT (months)
Randomised controlled trials						
Leon 2010	2010	179	Edwards SAPIEN	TF	30 days and 1 year	6
Smith	2011	348	Edwards SAPIEN	TF & TA	30 days and 1 year	6
Ussia	2011	79	CoreValve	TF & SC	30 days	3
Stabile	2014	60	Edwards SAPIEN XT	TF	30 days	6
Adams	2014	390	CoreValve	TF, TA, & SC	1 year	3
Leon 2016	2016	1011	Edwards SAPIEN XT		30 days, 1 year and 2 years	1
Registries						
Piazza	2008	646	CoreValve	TF	30 days	6
Petronio	2010	849	CoreValve	SC, TF	30 days	3
Rodes-Cabau	2010	339	Edwards SAPIEN	TF & TA	30 days	3
Avanzas	2010	108	CoreValve, Edwards SAPIEN	TF & SC	30 days	3
Lefevre	2011	61	Edwards SAPIEN	TF	30 days, 6 months and 12 months	6
Eltchaninoff	2011	173	Edwards SAPIEN	TF and SC	30 days	1
Zahn	2011	697	CoreValve, Edwards SAPIEN	TF & TA	30 days	6
Tamburino	2011	663	CoreValve	TA & SC	1 year	3
Tchetche	2012	943	Not specified	TF, TA, & SC	30 days	6
Nuis	2012	214	CoreValve	TF & SC	30 days	6
Gilard	2012	3150	CoreValve, Edwards SAPIEN	TF & TA	1 year	1
Abramowitz	2014	166	CoreValve, Edwards SAPIEN	TF & SC	30 days	6
Durand	2014	328	CoreValve, Edwards SAPIEN	TF, TA, & SC	30 days	1
Huczek	2015	139	CoreValve, Edwards SAPIEN	TF, TA, & SC	30 days	1
Poliacikoca	2013	149	CoreValve		30 days and 6 months	6
Meredith 2014	2014	11	Lotus		30 days and 1 year	3
Popma	2014	489	CoreValve		30 days and 1 year	3
Meredith 2016	2016	120	Lotus	TF	30 days and 1 year	1
Vahanian	2016	101	Edwards SAPIEN		30 days	1
Avinee	2016	368	CoreValve, Edwards SAPIEN	TF	30 days	1