	Sacubitril/valsartan		Control		Risk Ratio		Risk Ratio
Study or Subgroup	Events	Total	<b>Events</b>	Total	Weight	M-H, Fixed, 95% C	M-H, Fixed, 95% CI
6.4.1 English							
PARADIGM-HF 2014	537	4187	658	4212	87.1%	0.82 [0.74, 0.91]	
PIONEER-HF 2018	35	440	61	441	8.1%	0.58 [0.39, 0.85]	<del></del>
Subtotal (95% CI)		4627		4653	95.2%	0.80 [0.72, 0.89]	<b>◆</b>
Total events	572		719				
Heterogeneity: Chi <sup>2</sup> = 2.93, df = 1 (P = 0.09); I <sup>2</sup> = 66%							
Test for overall effect: Z = 4.29 (P < 0.0001)							
6.4.2 Chinese							
Fan TT 2019	5	35	8	35	1.1%	0.63 [0.23, 1.72]	•
Li J 2019 (1)	17	62	29	64	3.8%	0.61 [0.37, 0.98]	
Subtotal (95% CI)		97		99	4.8%	0.61 [0.39, 0.95]	
Total events	22		37				
Heterogeneity: Chi <sup>2</sup> = 0.00, df = 1 (P = 0.95); l <sup>2</sup> = 0%							
Test for overall effect: Z	z = 2.20 (P = 0.03)	)					
							•
Total (95% CI)		4724		4752	100.0%	0.79 [0.72, 0.87]	▼
Total events	594		756				
Heterogeneity: Chi <sup>2</sup> = 4.36, df = 3 (P = 0.22); l <sup>2</sup> = 31%  0.2  0.5  1  2  5							
Test for everall effect: $7 = 4.62  (P < 0.00001)$							
Test for subgroup differences: Chi <sup>2</sup> = 1.39, df = 1 (P = 0.24), $I^2$ = 28.2%							