

## Supplementary materials

### Supplemental table 1. Perception on Anticoagulant Treatment Questionnaire (PACT):

#### Dimensions and individual items

<b>PACT-Q1</b>	<b>Score range</b>
<p><i>Dimension: Treatment expectations</i></p> <p>A1 – Confidence in prevention of blood clots</p> <p>A2 – Expectations of symptom relief</p> <p>A3 – Expectations of side effects</p> <p>A4 – Importance of ease of use</p> <p>A5 – Worries about making mistakes</p> <p>A6 – Importance of independency</p> <p>A7 – Worries about cost</p>	All: 1 to 5
<b>PACT-Q2</b>	
<p><i>Dimension: Convenience</i></p> <p>B1 – Difficulties in taking the treatment</p> <p>B2 – Bother in taking the treatment</p> <p>B3 – Difficulties regarding dose adjustments required</p> <p>B4 – Treatment and other medications</p> <p>B5 – Treatment and regimen implications</p> <p>B6 – Treatment and being away from home</p> <p>B7 – Difficulties regarding daily life</p> <p>B8 – Bother in follow-up required</p> <p>B9 – Difficulties regarding regular intake</p> <p>B10 – Feeling regarding loss of independency</p> <p>B11 – Worries about having to stop the treatment</p> <p>C1 – Impact of side effects on usual activities</p>	One score: 0 to 100

C2 – Discomfort due to symptoms	
<i>Dimension: Anticoagulant treatment satisfaction</i>	One score: 0 to 100
D1 – Feeling of reassurance	
D2 – Symptom decrease	
D3 – Experience with side effects	
D4 – Satisfaction regarding independency	
D5 – Satisfaction with patient management	
D6 – Satisfaction with treatment form	
D7 – Overall satisfaction	